

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re Patent Application of

ADIN

Serial No. 10/069,049

Filed: February 21, 2002

For: DETECTION OF FLUID LEAK SITES IN FLUID CONTAINERS

Atty. Ref.: 540-333

TC/A.U.: 2856

Examiner: C. Garber

RECEIVED

* * * * *

March 1, 2004

MAR 08 2004

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

INFORMATION DISCLOSURE STATEMENT

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Pursuant to Rule 37 C.F.R. §1.97(c), a fee of \$180.00 as specified in Rule 17(p) is attached. If there is any shortage in the fee, please charge the deposit account of Nixon & Vanderhye, Account No. 14-1140.

03/04/2004 MDANTE1 00000161 10069049

02 FC:1806


180.00 0P

NADIN
Serial No. 10/069,049

Respectfully submitted,

NIXON & VANDERHYTE P.C.

By: _____


Stanley C. Spooner
Reg. No. 27,393

SCS:kmm
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

